

DZ-HHC-Gummy

 Sample ID: SA-220310-7767
 Batch:
 Type: Finished Products
 Matrix: Edible - Gummy
 Unit Mass (g): 3.00217

 Received: 03/11/2022
 Completed: 03/23/2022

Client
 Dazed
 242 W Main St #364
 Hendersonville, TN 37075
 USA

Summary

| Test | Date Tested | Status |
|--------------|-------------|--------|
| Cannabinoids | 03/23/2022 | Tested |

| | | | | | |
|--------------|-------------------|--------------------|-------------------|-------------------|---------------------------------|
| ND | 1.19 % | 1.92 % | Not Tested | Not Tested | Yes |
| Total Δ9-THC | (6aR,9S,10aR)-HHC | Total Cannabinoids | Moisture Content | Foreign Matter | Internal Standard Normalization |

Cannabinoids by HPLC-PDA, LC-MS/MS, and/or GC-MS/MS

| Analyte | LOD (%) | LOQ (%) | Result (%) | Result (mg/unit) |
|---------------------|---------|---------|-------------|------------------|
| (6aR,9R,10aR)-HHC | 0.01 | 0.03 | 0.722 | 21.7 |
| (6aR,9S,10aR)-HHC | 0.01 | 0.03 | 1.19 | 35.9 |
| CBC | 0.0009 | 0.0028 | ND | ND |
| CBCA | 0.0018 | 0.0054 | ND | ND |
| CBCV | 0.0006 | 0.0018 | ND | ND |
| CBD | 0.0008 | 0.0024 | ND | ND |
| CBDA | 0.0004 | 0.0013 | ND | ND |
| CBDV | 0.0006 | 0.0018 | <LOQ | <LOQ |
| CBDVA | 0.0002 | 0.0006 | ND | ND |
| CBE | 0.0009 | 0.0028 | ND | ND |
| CBG | 0.0006 | 0.0017 | ND | ND |
| CBGA | 0.0005 | 0.0015 | ND | ND |
| CBL | 0.0011 | 0.0033 | ND | ND |
| CBLA | 0.0012 | 0.0037 | ND | ND |
| CBN | 0.0006 | 0.0017 | 0.00272 | 0.0817 |
| CBNA | 0.0006 | 0.0018 | ND | ND |
| CBT | 0.0011 | 0.0054 | ND | ND |
| Δ8-THC | 0.0001 | 0.0031 | 0.00499 | 0.150 |
| Δ9-THC | 0.0008 | 0.0023 | ND | ND |
| Δ9-THCA | 0.0008 | 0.0025 | ND | ND |
| Δ9-THCV | 0.0007 | 0.0021 | ND | ND |
| Δ9-THCVA | 0.0006 | 0.0019 | ND | ND |
| Total Δ9-THC | | | ND | ND |
| Total CBD | | | ND | ND |
| Total | | | 1.92 | 57.8 |

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD;



 Generated By: Ryan Bellone
 Commercial Director
 Date: 03/23/2022



 Tested By: Jared Burkhart
 Technical Manager
 Date: 03/23/2022

 ISO/IEC 17025:2017 Accredited
 Accreditation #108651
