



Certificate of Analysis

Compliance Test

Client Information:

Super Scientific Labs
14820 NW 60th ave
Miami Lakes, FL 33014

Batch # TELERBLEND4
Batch Date: 2023-02-28
Extracted From: D8/D10/THCP

Test Reg State: Florida

Order # SUP230228-110001
Order Date: 2023-02-28
Sample # AAED772

Sampling Date: 2023-03-03
Lab Batch Date: 2023-03-03
Orig. Completion Date: 2023-03-06

Initial Gross Weight: 59.065 g
Net Weight: 5.774 g

Number of Units: 1
Net Weight per Unit: 5774.000 mg

Volume: 6 ml

Statement of Amendment: Updated Photo



Potency
Tested



Product Image

Delta 8/Delta 10 Potency 13 - (LCUV) + Potency 23 (LCUV)

Specimen Weight: 51.680 mg

Analyte	Dilution	LOQ (%)	LOQ (%)	Result (mg/g)	(%)
Delta-8-THC	1000.000	2.50E-5	0.0015	65.7140	65.7140
Delta-9-THC	1000.000	1.17E-5	0.0012	60.2100	60.2100
Delta-10-THC	1000.000	6.47E-5	0.0015	40.0800	40.0800
Delta-8-THCP	10.000	3.75E-4	0.0015	10.7500	1.0750
CBNA	10.000	9.50E-5	0.0015	5.5320	0.5532
CBN	1000.000	1.40E-5	0.0015	4.5200	0.4520
Delta-8-THCV	10.000	4.00E-5	0.0015	3.7490	0.3749
Delta-10-THC	1000.000	3.00E-5	0.0015	0.2850	0.2850
CBT	10.000	2.00E-4	0.0015	2.0240	0.2024
CBG	1000.000	1.80E-5	0.0015	<LOQ	<LOQ
CBH	1000.000	5.40E-5	0.0015	<LOQ	<LOQ
CBDA	1000.000	1.00E-5	0.0015	<LOQ	<LOQ
CBGV	1000.000	6.50E-5	0.0015	<LOQ	<LOQ
CBG	1000.000	2.48E-4	0.0015	<LOQ	<LOQ
CBGA	1000.000	8.00E-5	0.0015	<LOQ	<LOQ
Delta-9-THC	1000.000	1.30E-5	0.0015	<LOQ	<LOQ
THCA-A	1000.000	3.20E-5	0.0015	<LOQ	<LOQ
THCV	1000.000	7.00E-5	0.0015	<LOQ	<LOQ
CBDA	10.000	1.07E-4	0.0015	<LOQ	<LOQ
CBDA	10.000	1.40E-5	0.0015	<LOQ	<LOQ
CB	10.000	3.50E-5	0.0015	<LOQ	<LOQ
Delta-8-THC-O-Acetate	10.000	2.70E-5	0.0015	<LOQ	<LOQ
Delta-9-THC-O-Acetate	10.000	7.70E-5	0.0015	<LOQ	<LOQ
THC	10.000	2.30E-4	0.0015	<LOQ	<LOQ
THCVA	10.000	4.70E-5	0.0015	<LOQ	<LOQ
Total Active CBD	1000.000			<LOQ	<LOQ
Total Active THC	1000.000			<LOQ	<LOQ

Tested SOP13.002 (LCUV)

Potency Summary

Total Delta 8 65.714% 3794.326mg	Total Delta 10 0.286% 16.510mg
Total Active THC None Detected	Total Active CBD None Detected
Total CBG None Detected	Total CBN 54.68mg
Other Cannabinoids 11.681% 674.461mg	Total Cannabinoids 78.983% 4560.45mg

Summary Results determined from two distinct Potency Tests - Delta 8/Delta 10 Potency 13 - (LCUV) + Potency 23 (LCUV)

Abida Sun
Abida Sun Lab Director/Principal Scientist
B.S., M.Sc., B.Sc., MT (AAS)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBDA * 0.877) + CBG + (CBGVA * 0.877) + Total Active THC = THCA-A * 0.877 + Delta 8-THC + Total THCV + THCV + (THCVA * 0.877) + CBG Total = (CBGA * 0.877) + CBG, CBN Total = (CBNA * 0.877) + CBN, Total CBG = CBG + (CBGA * 0.877), Total THC-O-Acetate = Delta 8-THC-O-Acetate + Delta 9-THC-O-Acetate, Total THCP = Delta 8-THCP + Delta 9-THCP, Other Cannabinoids Total = Total Cannabinoids - All the listed cannabinoids on the summary section, Total Detected Cannabinoids = Delta 8-THC + Delta 9-THC + Total CBN + CBT + CBE + Delta 8-THCV + Total CBG + Total CBG + Total THCV + CBL + Total THC + Total CBG + Total CBGV + Delta 8-THC + Total THC-O-Acetate + Total THCP, (mg/ml) = Milligram per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram (cfu/g) = Colony Forming Unit per Gram, LOQ = Limit of Detection, (ug/g) = Microgram per Gram (ppm) = Parts per Million, (ppm) = (ug/g) (aw) = aw (area ratio) = Area Ratio, (mg/kg) = Milligram per Kilogram, Passed = Analyte/microbe is non-detected or at the level below the action limit, Failed = Analyte/microbe is at the level that equal or above the action limit. *Measurement of Uncertainty = +/- 1.0% Revised report, see statement of amendment above.
This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 standard. The tests and/or calibrations marked with an "****" are not ISO/IEC 17025:2017 accredited test results.